

GRADE 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9



Leaders in Reception Seating

Healthcare Vinyl Selections	Grade
Dodgeball	8
Geomet	6
Kilkenny Tweed	5
Matrix	6
Patriot Plus	3
Petals	7
Raffia	7
Renaissance	4
Script	6
Shantung	4
Tendril	4

For easy cleaning of recent soiling, promptly wash with a mild soap solution. For a previously soiled area that has not yet penetrated the vinyl surface, scrub with a soft brush using a mild, non-abrasive cleaner. Cleaning frequency depends on use. Please clean and maintain your furniture regularly.

Clean all stains as quickly as possible and use the following cleaning procedures for best results.

- Step 1** Remove any excess spills with damp cloth. Clean with a mild liquid soap and water mixture. Rinse with clear water and dry.
- Step 2** Use straight application of concentrated cleaners such as Formula 409[®] or Fantastik[®]. Rinse with clear water. Wipe with clean cloth.
- Step 3** For more difficult stains, use a 6% mixture of bleach with water. Rinse with clear water and dry. Never use bleach in full strength to clean vinyl.

Notes: Please be sure to use a soft brush or cloth saturated with cleaning material. Always test cleaning methods on an inconspicuous area of furniture. If stain persists, stain probably has set. Although these vinyls are resistant to most common stains, some fabric dyes and ballpoint inks can create a permanent stain.

Caution: Some solvents are highly flammable. Exercise proper care in cleaning. This information is not a guarantee and does not relieve the user from the responsibility of the proper and safe use of these vinyls and all cleaning agents.

Formula 409[®] is a registered trademark of the Clorox Company.
Fantastik[®] is a registered trademark of S.C. Johnson & Son, Inc.

Technical Information

Healthcare Vinyl Selections

Pattern	Approx. Repeats	Abrasion Resistance (Wyzenbeek)	Flammability*	Special Properties
Dodgeball	3.25" V, 5.125" H	500,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Geomet	1.5" V, 1.625" H	200,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Kilkenny Tweed	(none)	200,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Matrix	(none)	1,000,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Patriot Plus	(none)	400,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Petals	9.375" V, 8.5" H	500,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Raffia	(none)	200,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Renaissance	(none)	200,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Script	18.25" V, 26.5" H	100,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Shantung	(none)	100,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability
Tendril	18" V, 18" H	1,300,000 double rubs	California Tech. Bulletin 117, Sec. E.	Sulfide / Urine Resistant Stain, Moisture, Bacterial Resistant Outstanding Cleanability

All vinyls shown are 54" wide
Dye lots may vary slightly from samples shown

*This term and any corresponding data refer to typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions. These vinyls may contribute to compliance with California Technical Bulletin 133 when used in conjunction with other suitable components.



Leaders in Reception Seating

Lesro Industries, Inc.
Bloomfield, CT 06002
Phone: 800.275.7545
www.lesro.com

For memo samples, please contact:

c f s t i n s o n
fabrics that work™

800.841.6279 | cfstinson.com