

Seating the Way You Want It Since 1973

WOVEN PATTERNS	GRADE	VINYL PATTERNS	GRADE
Adler	3	Aerial	3
Archetype	2	Chambray	4
Connelly	2	Kaleidoscope	5
Constance	4	Linette	3
Emerge	2	Milano Stitch	3
Huron	4	Modena	2
Marchmount	3	Patriot Plus	3
Open House	2	Silvertex	4
Reframe	3	Whisper	3
Rise	3		

POLYURETHANE PATTERNS GRADE

Castillo	3
Dillon	2

OPEN HOUSE | 100% RECYCLED | GRADE 2




RISE | CLEAN IMPACT | 100% RECYCLED BIODEGRADABLE | GRADE 3



SHADOW














RAIN SONG

ADLER | TEFLON | GRADE 3



PEPPERCORN



GOLDEN









GREY FLANNEL

REFRAME | CLEAN IMPACT | 100% RECYCLED BIODEGRADABLE | GRADE 3

































































ROOTBEER










BLUEBERRY

SCOONER



NEBBIOLO

GRANITE



VAPOR



CUMULUS


ASH

HURON | SUPREEN | GRADE 4



DILLON | POLYURETHANE | GRADE 2

DILLON POLYURET	HANE GRADE 2			
BLACK	OCEAN	WILLIAMSBURG	LUCID	BUFF
GRAPHITE	AVAL	SAGE	APPLE GREEN	CORDOVAN
PATRIOT PLUS VIN	YL GRADE 3			
BLACK	CHARCOAL	IMPERIAL BLUE	BORDEAUX	CONCRETE
DOVE	BLUE RIDGE	TAUPE	Мосна	SEA
WHISPER VINYL	GRADE 3			
BLACK	CHARCOAL	NAVY	CAPPUCCINO	PATINA
SILVERTEX VINYL	GRADE 4			
CARBON	SAPPHIRE	METEOR	STERLING	BRONZE
CASTILLO POLYUR				
BLACK	ВАТІК	METAL	QUARRY	BREEZY



SMOKEHOUSE

COAL

Technical Information

Express Selections - Vinyls & Polyurethanes

Pattern	Fiber Content & Backing	Finish	Approx. Repeats	Abrasion (D.R.)	Flammability*	Special Properties
AERIAL	100% Phthalate Free Vinyl Surface 100% Polyester Backing	PreFixx	18" V x 18" H	1,200,000	CAL TB 117-2013 NFPA 260 UFAC Class I	Phthalate Free, No Heavy Metals, Stain Resistant, Chemical Resistant, No Antimicrobials, Denim Stain Cleanable, No Flame Retardants
CASTILLO	100% Polyurethane 87% Polyester, 13% Cotton Backing	Antimicrobial i-clean™	(none)	200,000	CAL TB 117-2013 NFPA 260 UFAC Class I	PVC Free
CHAMBRAY NEO	100% Vinyl Urethane Topcoat, Hi-Loft ² ™ Backing	PBG+	(none)	100,000	CAL TB 117-2013 NFPA 260 UFAC Class I	Formaldehyde Free, Water Resistant, No Heavy Metals, Stain Resistant, No Antimicrobials, No Flame Retardants
DILLON	100% Polyurethane 70% Polyester, 30% Cotton Backing	Antimicrobial	(none)	200,000	CAL TB 117-2013 NFPA 260 UFAC Class I	PVC Free
KALEIDOSCOPE NEO	100% Vinyl, Hi-Loft ^{2™} Backing	PBG+	18" V x 18" H	100,000	CAL TB 117-2013 NFPA 260 UFAC Class I	Formaldehyde Free, Water Resistant, No Heavy Metals, Stain Resistant, No Antimicrobials, No Flame Retardants
LINETTE	100% Vinyl 100% Polyester Backing	Antimicrobial i-clean™	(none)	100,000	CAL TB 117-2013 NFPA 260 UFAC Class I	
MILANO STITCH ECOSENSE	100% Vinyl Hi-Loft ^{2™} Backing	Permablok®	9" V x 10.1" H	100,000	CAL TB 117-2013 NFPA 260 UFAC Class I	Formaldehyde Free, Phthalate Free, Water Resistant, No Heavy Metals, Stain Resistant, No Antimicrobials, No Flame Retardants
MODENA ECOSENSE	100% Vinyl Hi-Loft ^{2™} Backing	Permablok [®] Plus	(none)	100,000	CAL TB 117-2013 NFPA 260 UFAC Class I	Formaldehyde Free, Phthalate Free, Denim Dye Cleanable, Water Resistant, No Heavy Metals, Stain Resistant, No Antimicrobials, No Flame Retardants
PATRIOT PLUS NEO	100% Vinyl Urethane Topcoat, 65% Polyester, 35% Cotton Backing	Permablok®	(none)	100,000	CAL TB 117-2013 NFPA 260 UFAC Class I	Formaldehyde Free, Water Resistant, No Heavy Metals, Stain Resistant, No Antimicrobials, No Flame Retardants
SILVERTEX NEO	100% Vinyl Hi-Loft ^{2™} Backing	Permablok®	(none)	100,000	CAL TB 117-2013 NFPA 260 UFAC Class I	Formaldehyde Free, Water Resistant, No Heavy Metals, Stain Resistant, Bacterial Resistant, No Flame Retardants
WHISPER NEO PLUS	100% Vinyl Hi-Loft ^{2™} Backing	Permablok [®] Plus	(none)	100,000	CAL TB 117-2013 NFPA 260 UFAC Class I	Formaldehyde Free, Denim Dye Cleanable, Water Resistant, No Heavy Metals, Stain Resistant, No Antimicrobials, No Flame Retardants

This term and any corresponding data refer to typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

Care and Cleaning Instructions:

For easy cleaning of recent soiling, promptly wash with a mild soap solution. For a previously soiled area that has not yet penetrated the surface, scrub with a soft brush using a mild, non-abrasive cleaner. Cleaning frequency depends on use. Please clean and maintain your furniture regularly.

Clean all stains as quickly as possible and use the following cleaning procedure for the best results.

Step 1: Remove any excess spills with a damp cloth. Clean with a mild liquid soap and water mixture. Rinse with clear water and dry.

Step 2: Use a straight application of concentrated cleaners such as Formula 409° or Fantastik[®]. Rinse with clear water. Wipe with a clean cloth.

Step 3: For more difficult stains and disinfecting, use a 10% mixture of bleach with water. Rinse with clear water and dry. Never use bleach in full strength to clean material.

Recommendation: Please be sure to use a soft brush or cloth saturated with cleaning material. Always test cleaning methods on an inconspicuous area of the furniture. If stain persists, the stain probably has set. Although these materials are resistant to most common stains, some fabric dyes and ballpoint inks can create a permanent stain.

Caution: This information is not a guarantee and does not relieve the user from the responsibility of the proper and safe use of these materials and all cleaning agents.

For further cleaning and care instructions, please visit our website.

California Prop 65 and other regulatory compliance information can be found on our website for all Lesro products and upholsteries.



Technical Information

Express Selections - Woven

Pattern	Fiber Content & Backing	Finish	Approx. Repeats	Abrasion (D.R.)	Lightfastness	Flammability*	Cleaning Code
ADLER	100% Polyester Acrylic Backing	Teflon*	5.75" V, 4.625" H	50,000	60 Hrs. Grade 4.5	CAL TB 117-2013 NFPA 260	WS
ARCHETYPE	79% Polyester, 21% Rayon 100% Polyester Non-Woven Scrim Backing	i-clean™	(none)	75,000	40 Hrs. Grade 4	CAL TB 117-2013 NFPA 260 Class I UFAC Class I	WS
CONNELLY	100% Polyester Synthetic Latex Blend Backing	i-clean™	(none)	95,000	40 Hrs. Grade 4	CAL TB 117-2013 NFPA 260 Class I UFAC Class I	WS
CONSTANCE	88% Polyester, 10% Polyurethane, 2% Silicone 100% Polyurethane Backing	SUPREEN	(none)	100,000+	40 Hrs. Grade 5	CAL TB 117-2013 NFPA 260 Class I UFAC Class I	WS, BC
EMERGE	81% Post-Consumer Recycled Biodegradable Polyester**, 19% Pre-Consumer Recycled Biodegradable Polyester**	(none)	(none)	100,000	40 Hrs. Grade 4.5	CAL TB 117-2013 NFPA 260 Class I	WS, BC
HURON	91% Polyester, 7% Polyurethane, 2% Silicone	SUPREEN	(none)	100,000+	40 Hrs. Grade 5	CAL TB 117-2013 NFPA 260 Class I UFAC Class I	WS, BC
MARCHMOUNT	100% Polyester Synthetic Latex Blend Backing	i-clean™	(none)	100,000	40 Hrs. Grade 4	CAL TB 117-2013 NFPA 260 Class I UFAC Class I	WS
OPEN HOUSE	35% Post-Consumer Recycled Polyester, 65% Pre-Consumer Recycled Polyester	(none)	(none)	250,000	40 Hrs. Grade 4	CAL TB 117-2013 NFPA 260 Class I	WS
REFRAME	100% Post-Consumer Recycled Biodegradable Polyester**	CO Stain & Water Repellent	5.88" V, 7.38" H	75,000	40 Hrs. Grade 4	CAL TB 117-2013 NFPA 260 Class I	WS, BC
RISE	100% Post-Consumer Recycled Biodegradable Polyester**	CO Stain & Water Repellent	1.63" V, 2.35" H	75,000	40 Hrs. Grade 4.5	CAL TB 117-2013 NFPA 260 Class I	WS, BC

* This term and any corresponding data refer to typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

** Rate and extent of biodegradation into elements found in nature is 91% after 1,278 days under ASTM D5511 (Anaerobic Biodegradation of Plastic Materials Under High Solids Anaerobic Digestion Conditions). The test was done with the same component (PET) polyester and biocatalyst additive. No evidence of further degradation.

Cleaning Code Definitions

W: Water-based cleaning agents or foam may be used.

WS: Clean with water-based cleaning agents, foam or pure, water-free solvents. Do not over saturate with liquid. Vacuuming or light brushing is recommended to prevent dust and soil build up.

BC: Bleach Cleanable. Clean with a 10% bleach-to-water solution. Rinse well after cleaning.

For further cleaning and care instructions, please visit our website.

California Prop 65 and other regulatory compliance information can be found on our website for all Lesro products and upholsteries.



Express Upholstery Selections are stocked at Lesro and available for orders requiring fast delivery upon request. Products with mixed Express Upholstery Selections are also available for fast delivery. Turn to Lesro's Express Upholstery Selections for all your time-critical orders.

You can now configure all of Lesro's most popular products with the fabrics and finishes of your choice using the LesroCreate design tool.

To get started simply scan the QR code below:





Seating the Way You Want It Since 1973

Lesro Industries, Inc. | Bloomfield, CT 06002 800.275.7545 | www.lesro.com





